

Kloet & Hincks 1976

HANDBOOKS FOR THE IDENTIFICATION
OF BRITISH INSECTS

Vol. XI, Part 5

~~Published by~~ United States Department
of Agriculture for Official use.

KLOET AND HINCKS
A CHECK LIST
OF
BRITISH INSECTS

Second Edition (Completely revised)

Part 5: Diptera and Siphonaptera

ROYAL ENTOMOLOGICAL SOCIETY OF LONDON

January, 1976

58. CLUSIIDAE

HETERONEURIDAE

CLUSIA Haliday, 1838
STOMPHASTICA Loew, 1864
flava (Meigen, 1834)

PARACLUSIA Czerny, 1903
tigrina (Fallén, 1820)
decora (Loew, 1863)

CLUSIODES Coquillett, 1904
HETERONEURA: Fallén, 1823,
nec Fallén, 1810

S. CLUSIODES s.s.
albimana (Meigen, 1830)
caledonica (Collin, 1912)
gentilis (Collin, 1912)

S. CLUSARIA Malloch, 1922
apicalis (Zetterstedt, 1843)
facialis Collin, 1953
geomyzina (Fallén, 1823)
alpina (Loew, 1857)

S. COLUMBIELLA Malloch, 1922
verticalis (Collin, 1912)

HETEROMERINGIA Czerny, 1903
nigrimana (Loew, 1864)

NOMEN DUBIUM

spurca Haliday, 1833 (Heteroneura)

59. ODINIIDAE

ODINIA Robineau-Desvoidy, 1830
boletina (Zetterstedt, 1848)
hendeli Collin, 1952
maculata (Meigen, 1830)
meijerei Collin, 1952
?? *ornata* (Zetterstedt, 1838)
pomona Cogan, 1969
xanthocera Collin, 1952

60. CARNIIDAE

CARNUS Nitzsch, 1818
✓ *hemapterus* Nitzsch, 1818

MEONURA Rondani, 1856
✓ *bicuspidata* Collin, 1930
✓ *flavifacies* Collin, 1930
✓ *freta* Collin, 1937
✓ *lacteipennis* (Fallén, 1823)

✓ *lamellata* Collin, 1930
✓ *minutissima* (Zetterstedt, 1860)
✓ *neglecta* Collin, 1930
✓ *neottiophila* Collin, 1930
✓ *obscura* (Fallén, 1823)
✓ *seducta* Collin, 1937
✓ *triangularis* Collin, 1930
✓ *vagans* (Fallén, 1823)

61. ACARTOPHTHALMIDAE

ACARTOPHTHALMUS Czerny,
1902
bicolor Oldenberg, 1910
nigrinus (Zetterstedt, 1848)

62. PERISCELIDIDAE

PERISCELIS Loew, 1858
S. PERISCELIS s.s.
annulipes Loew, 1858
nigra (Zetterstedt, 1860)

S. MICROPERISCELIS Oldenburg,
1914
annulata (Fallén, 1813)
winnertzi Egger, 1862

63. AULACIGASTRIDAE

AULACIGASTER Macquart, 1835
leucopeza (Meigen, 1830)
rufitarsis Macquart, 1835

STENOMICRA Coquillett, 1900
DIADELOPS Collin, 1944
delicata (Collin, 1944)

64. ANTHOMYZIDAE

ANTHOMYZA Fallén, 1810
albimana (Meigen, 1830)
bifasciata Wood, 1911
cingulata (Haliday, 1855)
dissors Collin, 1944
v. *dorsata* Collin, 1944
gracilis Fallén, 1823
neglecta Collin, 1944
pallida (Zetterstedt, 1838)
pleuralis Czerny, 1928
sordidella (Zetterstedt, 1848)
unguicella (Zetterstedt, 1838)
ungulata Loew, 1873)

PARANTHOMYZA Czerny, 1902
nitida (Meigen, 1838)
asteia (Haliday, 1833)
flavipes (Zetterstedt, 1848)

STIPHROSOMA Czerny, 1928
sabulosum (Haliday, 1837)

ANAGNOTA Becker, 1902
bicolor (Meigen, 1838)
collini Czerny, 1928

65. ASTEIIDAE

ASTEIA Meigen, 1830
ASTIA emend.
amoena Meigen, 1830
concinna Meigen, 1830
elegantula Zetterstedt, 1847

LEIOMYZA Macquart, 1835
LIOMYZA emend.
glabricula (Meigen, 1830)
laevigata (Meigen, 1830)
scatophagina (Fallén, 1823)
flavipes (Fallén, 1823)

66. CAMILLIDAE

CAMILLA Haliday, 1838
atripes Duda, 1934
acutipennis: Collin, 1933, nec
(Loew, 1865)
fuscipes Collin, 1933
glabra (Fallén, 1823)
subfuscipes Collin, 1933
glabrata Collin, 1956
glabra: Collin, 1933, nec (Fallén,
1823)
nigrifrons Collin, 1933

67. EPHYRIDIDAE

PSILOPINAE
GYMNOPINI
MOSILLUS Latreille, 1804
GYMNOPA Fallén, 1820
subsultans (Fabricius, 1794)

ATHYROGLOSSA Loew, 1860
glabra (Meigen, 1830)
ordinata Becker, 1896

ATISSINI
HECAMEDE Curtis, 1837
albicans (Meigen, 1830)

ATISSA Curtis, 1837
limosina Becker, 1896
pygmaea (Haliday, 1834)

PELIGNUS Loew, 1864
durrenbergensis (Becker, 1896)

GLENANTHE Haliday, 1839
ripicola Haliday, 1839

DISCOCERININI

DISCOCERINA Macquart, 1835
obscura (Fallén, 1813)

POLYTRICHOPHORA Cresson, 1924
duplosetosa (Becker, 1896)

DICLASIOPA Hendel, 1917
lacteipennis (Loew, 1862)
xanthocera (Loew, 1869)

HECAMEDOIDES Hendel, 1917
glaucellus (Stenhammar, 1844)
v. *unispinosus* Collin, 1943

DITRICHOPHORA Cresson, 1924
albifrons (Meigen, 1830)
calceata (Meigen, 1830)
cinerella (Stenhammar, 1844)
fuscella (Stenhammar, 1844)
pulicaria: auctt., nec Haliday, 1839
lambi (Collin, 1943)
longula (Stenhammar, 1844)
nectens (Collin, 1942)
palliditarsis (Becker, 1896)
plumosa (Fallén, 1823)

DISCOMYZINI

DISCOMYZA Meigen, 1830
incurva (Fallén, 1823)

CLANONEURUM Becker, 1903
cimiciforme (Haliday, 1855)

PSILOPINI

PSILOPA Fallén, 1823
HYGRELLA Haliday, 1839
EPHYGROBIA Schiner, 1862
compta (Meigen, 1830)
leucostoma (Meigen, 1830)
marginella Fallén, 1823
nana Loew, 1860
nigritella Stenhammar, 1844
nitidula (Fallén, 1813)
pulicaria (Haliday, 1839)

TRIMERINA Macquart, 1835
madizans (Fallén, 1813)

NOTIPHILINAE

NOTIPHILINI
NOTIPHILA Fallén, 1810
S. NOTIPHILA s.s.
annulipes Stenhammar, 1844
brunnipes Robineau-Desvoidy, 1830

coleoprata (Scopoli, 1763)

STEGANA Meigen, 1830
 PROTOSTEGANA Hendel, 1920
furta (Linnaeus, 1758)
curvipennis (Fallén, 1823)

DROSOPHILINAE
 ACLETOKENUS Frauenfeld, 1868
formosus (Loew, 1846)
ornatus: (Walker, 1853), nec
 (Meigen, 1830)
syrphoides Frauenfeld, 1868

CACOXENUS Loew, 1862
indigator Loew, 1858

PARACACOXENUS Hardy, 1960
exiguus (Duda, 1924)

AMIOTA Loew, 1862
 S. AMIOTA s.s.
albilabris Zetterstedt, 1860
albugutata (Wahlberg, 1838)
basdeni Fonseca, 1965
leucostoma Loew, 1862
lacteoguttata (Portschinsky, 1891)

S. PHORTICA Schiner, 1862
variegata (Fallén, 1823)

LEUCOPHENGIA Mik, 1886
maculata (Dufour, 1839)

CHYMOMYZA Czerny, 1903
costata (Zetterstedt, 1838)
distincta (Egger, 1862)
fuscimana: Duda, 1924, nec
 Zetterstedt, 1838
fuscimana (Zetterstedt, 1838)
distincta: auctt., nec (Egger, 1862)

SCAPTOMYZA Hardy, 1850
 S. SCAPTOMYZA s.s.
flava (Fallén, 1823)
apicalis Hardy, 1850
flaveola: auctt., nec Meigen, 1830
graminum (Fallén, 1823)
griseola Zetterstedt, 1847
 ?? *montana* Wheeler, 1949

S. HEMISCAPTOMYZA Hackman,
 1959
trochanterata Collin, 1953

S. PARASCAPTOMYZA Duda, 1924
pallida (Zetterstedt, 1847)

distica Duda, 1921

DROSOPHILA Fallén, 1823
 S. DROSOPHILA s.s.
cameraria Haliday, 1833
confusa Staeger, 1844
vibrissina Duda, 1924
funeris (Fabricius, 1787)
histrio Meigen, 1830
hydei Sturtevant, 1921
immigrans Sturtevant, 1921
tripunctata Becker, 1908, preocc.
iri Burla, 1954
kuntzei Duda, 1924
limbata von Roser, 1840
littoralis Meigen, 1830
phalerata Meigen, 1830
picta Zetterstedt, 1847
macularis Villeneuve, 1921
polychaeta Patterson and Wheeler,
 1942
repleta Wollaston, 1858
subsilvestris Hardy and Kaneshiro,
 1968
silvestris Basden, 1954, preocc.
testacea von Roser, 1840
transversa Fallén, 1823
unimaculata Strobl, 1893

S. DORSILOPHA Sturtevant, 1942
busckii Coquillett, 1901

S. LORDIPHOSA Basden, 1961
acuminata Collin, 1952
andalusiaca Strobl, 1905
forcipata Collin, 1952
fenestrarum Fallén, 1823

S. PHOLADORIS Sturtevant, 1942
deflexa Duda, 1924
rufifrons Loew, 1873

S. SOPHOPHORA Sturtevant, 1939
ambigua Pomini, 1940
ananassae Doleschall, 1858
helvetica Burla, 1948
melanogaster Meigen, 1830
obscura Fallén, 1823
obscuroides Pomini, 1940
simulans Sturtevant, 1919
subobscura Collin, 1936
tristis Fallén, 1823

NOMINA DUBIA

glabra Haliday, 1838 (Drosophila)
ingrata Haliday, 1833 (Drosophila)
nigrita Curtis, 1833 (Drosophila)

70. MILICHIIDAE

MADIZINAE
 MADIZA Fallén, 1810
britannica Hennig, 1937
glabra Fallén, 1820

LEPTOMETOPA Becker, 1903
 HYPASPISTOMYIA Hendel, 1907
latipes (Meigen, 1830)
 ?? *niveipennis* (Strobl, 1900)

DESMOMETOPA Loew, 1865
sordida (Fallén, 1820)
m-atrum (Meigen, 1830)

PHYLLOMYZA Fallén, 1810
 ?? *beckeri* Kramer, 1920
equitans (Hendel, 1919)
fagicola (Hendel, 1924)
lasiae (Duda, 1935)
flavitaris (Meigen, 1830)
formicae Schmitz, 1923
 ? *donisthorpei* Schmitz, 1923
securicornis Fallén, 1823

MILICHIINAE
 MILICHIYA Meigen, 1830
 LOBIOPTERA Wahlberg, 1847
ludens (Wahlberg, 1847)

71. TETHINIDAE

PELOMYIELLA Hendel, 1934
cinerella (Haliday, 1837)
mallochi (Sturtevant, 1923)
angustifacies (de Meijere, 1928)
kuntzei: Collin, 1966, nec (Czerny,
 1928)

TETHINA Haliday, 1838
 RHICNOESSA Loew, 1862
alboretulosa (Strobl, 1900)
griseola: Czerny, 1828, nec (van
 der Wulp, 1871)
flavigenis (Hendel, 1934)
grisea (Fallén, 1823)
illota Haliday, 1838)
griseola (van der Wulp, 1871)
incisuralis (Macquart, 1850)
pictipes (Becker, 1903)
penita (Collin, 1966)
simplex (Collin, 1966)
strobliana Mercier, 1923
longirostris: Collin, 1911, nec Loew,
 1868

72. CANACIDAE

CANACE Haliday, 1839
nasica Haliday, 1839

XANTHOCANACE Hendel, 1814
 DINOMYIA Becker, 1926,
 preocc.
 MYIOBLAX Enderlein, 1936
ranula (Loew, 1874)

73. BRAULIDAE

BRAULA Nitzsch, 1818
coeca Nitzsch, 1818

74. AGROMYZIDAE

AGROMYZINAE
 HEXOMYZA Enderlein, 1936
sarothamni (Hendel, 1923)
schineri (Giraud, 1861)
simplicoides (Hendel, 1920)

MELANAGROMYZA Hendel, 1920
aenea (Meigen, 1830)
fuscociliata Hendel, 1931
aeneoventris (Fallén, 1823)
cirsii (Rondani, 1875)
angeliciphaga Spencer, 1969
cunctans (Meigen, 1830)
dettmeri Hering 1933
eupatorii Spencer, 1957
fabae Spencer, 1973
lappae (Loew, 1850)
limata Spencer, 1971
nibletti Spencer, 1957
pubescens Hendel, 1923
sativae Spencer, 1957
torilidis Spencer, 1957
symphyti Griffiths, 1962
tripolii Spencer, 1957

OPHIOMYIA Braschnikov, 1897
alliariae Hering, 1957
aquilegiana Lundquist, 1947
thalictrina Griffiths, 1963
beckeri (Hendel, 1923)
collini Spencer, 1971
cunctata (Hendel, 1920)
curvipalpis (Zetterstedt, 1848)
definita Spencer, 1971
gallii Hering, 1937
gnaphalii Hering, 1949
heracleivora Spencer, 1957
heringi Stary, 1930
labiatarum Hering, 1937
maura (Meigen, 1838)